

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S96	34	717/148.ccls. ((jit\$4 or j-i-t\$4 or just-in-time or compil\$6) near6 (byte\$1code or il or intermediate or (byte adj code))) (((driver or hard\$1ware or device) near8 specific) with (application or program or execut\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/24 15:25
S95	57	717/148.ccls. ((jit\$4 or j-i-t\$4 or just-in-time or compil\$6) near6 (byte\$1code or il or intermediate or (byte adj code))) ((driver or hard\$1ware or device) near8 specific)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/24 15:11
S94	199	717/148.ccls. ((jit\$4 or j-i-t\$4 or just-in-time or compil\$6) near6 (byte\$1code or il or intermediate or (byte adj code)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/24 15:10
S6	9	((jit\$6 or j-i-t\$6) same driver) (process\$4 same driver) compil\$6.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/24 15:09
S93	7	((single near4 (executable or file)) near8 compil\$6) ((compil\$6 or jit\$4 or j-i-t\$4 or (just-in-time)) near6 (il or intermediate or byte\$1code or (byte adj code))) ((target or embedded) with dependent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/24 12:43
S91	17	((single near4 (executable or file)) near8 compil\$6) ((compil\$6 or jit\$4 or j-i-t\$4 or (just-in-time)) near6 (il or intermediate or byte\$1code or (byte adj code))) ((target or embedded) with specific)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/24 12:40
S90	74	((single near4 (executable or file)) near8 compil\$6) ((compil\$6 or jit\$4 or j-i-t\$4 or (just-in-time)) near6 (il or intermediate or byte\$1code or (byte adj code)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/24 12:40
S88	97	((specific near4 (driver or hard\$1ware or device)) with (application or program or compil\$6)) ((compil\$6 or jit\$4 or j-i-t\$4 or just-in-time) near9 (il or intermediate or byte\$1code or (byte adj code))) (driver or hard\$1ware or device).clm. compil\$6.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/24 11:47
S87	106	((specific near4 (driver or hard\$1ware or device)) with (application or program or compil\$6)) ((compil\$6 or jit\$4 or j-i-t\$4 or just-in-time) with (il or intermediate or byte\$1code or (byte adj code))) (driver or hard\$1ware or device).clm. compil\$6.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/24 11:47
S86	299	((specific near4 (driver or hard\$1ware or device)) with (application or program or compil\$6)) ((compil\$6 or jit\$4 or j-i-t\$4 or just-in-time) with (il or intermediate or byte\$1code or (byte adj code))) (driver or hard\$1ware or device).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/24 11:46
S85	587	((specific near4 (driver or hard\$1ware or device)) with (application or program or compil\$6)) ((compil\$6 or jit\$4 or j-i-t\$4 or just-in-time) with (il or intermediate or byte\$1code or (byte adj code)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/24 11:46

EAST Search History

S84	1261	(specific near4 (driver or hard\$1ware or device)) ((compil\$6 or jit\$4 or j-i-t\$4 or just-in-time) with (il or intermediate or byte\$1code or (byte adj code)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/24 11:45
S83	1	"6983460" chaki (specific or driver or device or hard\$1ware or single or executable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/24 08:44
S81	8	(single with executable with (intermediate or il or byte\$1code or (byte adj code))) ((hard\$1ware or device or driver) near4 specific)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/24 08:23
S80	38	(single with executable with (intermediate or il or byte\$1code or (byte adj code)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/24 08:23
S78	45	(single with executable with (compil\$6 or jit\$4 or j-i-t\$4 or (just-in-time))) ((device or hard\$1ware or driver) near2 specific)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/24 08:15
S77	653	(single with (compil\$6 or jit\$4 or j-i-t\$4 or (just-in-time))) ((device or hard\$1ware or driver) near2 specific)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/24 08:15
S75	31	((hard\$1ware or driver or device) near4 specific) near4 (application or program) ((jit\$4 or j-i-t\$4 or (just-in-time)) with compil\$6) compil\$6.clm. (hard\$1ware or driver or device or specific or run\$1time).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/24 08:02
S74	26	((hard\$1ware or driver or device) near4 specific) near4 (application or program) ((jit\$4 or j-i-t\$4 or (just-in-time)) with compil\$6) compil\$6.clm. (hard\$1ware or driver or device or specific).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/24 08:01
S73	24	((hard\$1ware or driver or device) near4 specific) near4 (application or program) ((jit\$4 or j-i-t\$4 or (just-in-time)) with compil\$6) compil\$6.clm. (hard\$1ware or driver or device).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/24 08:01
S72	200	((hard\$1ware or driver or device) near4 specific) near4 (application or program) ((jit\$4 or j-i-t\$4 or (just-in-time)) with compil\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/24 08:00
S71	526	((hard\$1ware or driver or device) near4 specific) ((jit\$4 or j-i-t\$4 or (just-in-time)) with compil\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/24 08:00

EAST Search History

S67	39	((embedded or target) with (jit\$4 or j-i-t\$4) with execut\$6) ((application or program) same (driver or run\$1time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/24 06:48
S64	20	(driver near8 (dependent or independent or specific)) ((byte\$1code or (byte adj code) or il or (intermediate adj language) or jit\$4 or j-i-t\$4) with compil\$6) driver.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/24 06:35
S63	26	(driver near8 (dependent or independent or specific)) ((byte\$1code or (byte adj code) or il or (intermediate adj language) or jit\$4 or j-i-t\$4) with compil\$6) compil\$6.clm. @ay<"2004"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/24 06:34
S62	34	(driver near8 (dependent or independent or specific)) ((byte\$1code or (byte adj code) or il or (intermediate adj language) or jit\$4 or j-i-t\$4) with compil\$6) compil\$6.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/24 06:20
S61	75	(driver near8 (dependent or independent or specific)) ((byte\$1code or (byte adj code) or il or (intermediate adj language) or jit\$4 or j-i-t\$4) with compil\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/24 06:19
S60	103	(driver near8 (dependent or independent or specific)) ((byte\$1code or (byte adj code) or il or (intermediate adj language) or jit\$4 or j-i-t\$4) same compil\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/24 06:19
S58	34	(driver with processor) ((driver or device or hard\$1ware or api) near4 (independent or dependent or specific or run\$1time)) ((compil\$6 or jit\$4 or j-i-t\$4) near8 (byte\$8 or intermediate or il or ((object or class) adj2 file))) ((interact\$4 or optimiz\$6) same (driver or device or hard\$1ware or api) same (soft\$1ware or application or program) same (target or specific or independent or dependent or cross))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/12 08:13
S57	89	(driver with processor) ((driver or device or hard\$1ware or api) near4 (independent or dependent or specific or run\$1time)) ((compil\$6 or jit\$4 or j-i-t\$4) near8 (byte\$8 or intermediate or il or ((object or class) adj2 file))) ((interact\$4 or optimiz\$6) same (driver or device or hard\$1ware or api) same (soft\$1ware or application or program))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/12 08:12
S56	106	(driver with processor) ((driver or device or hard\$1ware or api) near4 (independent or dependent or specific or run\$1time)) ((compil\$6 or jit\$4 or j-i-t\$4) near8 (byte\$8 or intermediate or il or ((object or class) adj2 file))) ((interact\$4 or optimiz\$6) same (driver or device or hard\$1ware or api))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/12 08:11
S55	141	(driver with processor) ((driver or device or hard\$1ware or api) near4 (independent or dependent or specific or run\$1time)) ((compil\$6 or jit\$4 or j-i-t\$4) near8 (byte\$8 or intermediate or il or ((object or class) adj2 file)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/12 08:10
S54	97	(driver with processor) ((driver or device or hard\$1ware or api) near4 (independent or dependent or specific or run\$1time)) (compil\$6 with (byte\$8 or intermediate or il))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/12 08:09

EAST Search History

S47	43	(api with (il or intermediate or byte\$6) with compil\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/10 07:09
S45	17	(specific with (hardware or processor) with command with compil\$6) (il or intermediate or byte\$6) driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/10 07:01
S44	42	(specific with (hardware or processor) with command with compil\$6) (il or intermediate or byte\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/10 07:01
S43	51	(specific with (hardware or processor) with command with compil\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/10 07:00
S39	208	((library or api or adl) near8 (il or intermediate or byte\$6) compil\$6.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/09 12:21
S37	174	((command or specific\$4) near4 (processor or driver)) with (il or intermediate or byte\$6) compil\$6 @ay<"2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/09 12:06
S35	52	((command near4 processor) with (il or intermediate or byte\$6)) compil\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/09 12:02
S34	10	((process near4 (specific\$4 or dependent))) compil\$6.clm. (((api or driver or clr) with (il or intermediate or byte\$8)) same compil\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/09 12:02
S33	25	((process near4 (specific\$4 or dependent))) compil\$6.clm. (((api or driver or clr) with (il or intermediate or byte\$8)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/09 11:57
S32	22	((process near4 (specific\$4 or dependent))) compil\$6.clm. ((api or driver) with (il or intermediate or byte\$8))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/09 11:57
S28	152	((process near4 (specific\$4 or dependent)) near8 compil\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/09 11:56

EAST Search History

S31	29	((process near4 (specific\$4 or dependent)) near8 compil\$6) (il or intermediate) (compil\$6 near8 (program or application)) @ay<"2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/09 11:48
S30	46	((process near4 (specific\$4 or dependent)) near8 compil\$6) (il or intermediate) (compil\$6 near8 (program or application))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/09 11:48
S29	63	((process near4 (specific\$4 or dependent)) near8 compil\$6) (il or intermediate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/09 11:39
S27	58	(platform near2 (multi or extend\$4 or multiple or cross)) compil\$6.clm. ((il or (intermediate) or byte\$8) near8 (application or program)) (compil\$6 near8 (application or program))((processor or platform) near4 (independent or dependent))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/09 11:38
S26	107	(platform near2 (multi or extend\$4 or multiple or cross)) compil\$6.clm. ((il or (intermediate) or byte\$8) near8 (application or program)) (compil\$6 near8 (application or program))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/09 11:15
S25	57	(platform near2 (multi or extend\$4 or multiple or cross)) compil\$6.clm. ((il or (intermediate)) near8 (application or program))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/09 11:14
S24	6	(annotat\$4 with compil\$6) (annotat\$4 with (il or intermediate or byte or byte\$1code)) (jlt\$4 or j-i-t\$4) @ay<"2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/08 13:11
S23	9	(annotat\$4 with compil\$6) (annotat\$4 with (il or intermediate or byte or byte\$1code)) (jlt\$4 or j-i-t\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/08 13:11
S22	75	(annotat\$4 with compil\$6) (annotat\$4 with (il or intermediate or byte or byte\$1code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/08 13:02
S21	13	(compil\$6 with (il or intermediate)) (platform with (different or multi or multiple)) ((run\$1time or clr) with compil\$6) (compil\$6 with (application)) (application same (run\$1time or clr)) (application same (il or intermediate)) ((run\$1time or clr) same (il or intermediate)) @ay<"2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/08 13:01
S20	59	(compil\$6 with (il or intermediate)) (platform with (different or multi or multiple)) ((run\$1time or clr) with compil\$6) (compil\$6 with (application)) (application same (run\$1time or clr)) (application same (il or intermediate)) ((run\$1time or clr) same (il or intermediate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/08 12:51

EAST Search History

S19	84	(compil\$6 with (il or intermediate)) (platform with (different or multi or multiple)) ((run\$1time or clr) with compil\$6) (compil\$6 with (application)) (application same (run\$1time or clr)) (application same (il or intermediate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/08 12:50
S18	103	(compil\$6 with (il or intermediate)) (platform with (different or multi or multiple)) ((run\$1time or clr) with compil\$6) (compil\$6 with (application)) (application same (run\$1time or clr))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/08 12:50
S17	127	(compil\$6 with (il or intermediate)) (platform with (different or multi or multiple)) ((run\$1time or clr) with compil\$6) (compil\$6 with (application))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/08 12:49
S16	223	(compil\$6 with (il or intermediate)) (platform with (different or multi or multiple)) ((run\$1time or clr) with compil\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/08 12:49
S15	373	(compil\$6 with (il or intermediate)) (platform with (different or multi or multiple)) (run\$1time or clr)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/08 12:49
S14	461	(compil\$6 with (il or intermediate)) (platform with (different or multi or multiple))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/08 12:48
S13	1284	(compil\$6 with (il or intermediate)) platform	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/08 12:48
S12	15	((jit\$6 or j-i-t\$6) same platform) compil\$6.clm. driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/08 12:47
S11	132	((jit\$6 or j-i-t\$6) same platform) compil\$6.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/08 12:38
S4	258	((jit\$6 or j-i-t\$6) same driver) (process\$4 same driver) driver. clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/08 12:38
S7	1	10/039035 (intermediate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/08 12:27

EAST Search History

S1	1	10/039035 (run\$1time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/08 11:43
S5	5	((jit\$6 or j-i-t\$6) same driver) (process\$4 same driver) driver. clm. compil\$6.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/08 11:22
S3	602	((jit\$6 or j-i-t\$6) same driver) (process\$4 same driver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/08 11:14
S2	2132	((jit\$6 or j-i-t\$6) same driver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/08 11:13